



City of Kingsburg

1401 Draper Street, Kingsburg, CA 93631-1908
(559) 897-5328

Holly Owen
Community Development
Director

AJ O'Connell
Building Official

Alexander J. Henderson
City Manager

DROWNING PREVENTION ACKNOWLEDGEMENT

I (We) acknowledge that a new swimming pool or spa or the remodeling of an existing swimming pool or spa at a private single-family home, the respective swimming pool or spa, (except as provided in section H&S Section 115925), Shall be enclosed by two separate pool requirements per CBC Section 3109, prior to final inspection and prior to filling the pool with water. They are as follows:

- An approved ENCLOSURE method between the home and pool is required. Please choose and initial at least TWO (2) of the following seven drowning prevention features below:
- 1. ____ An enclosure that meets the requirements of Section 115923 and isolates the swimming pool or spa from the private single-family home.
- 2. ____ Removable mesh fencing that meets American Society for Testing and Materials (ASTM) specifications F2286 standards in conjunction with a gate that is self-closing and self-latching and can accommodate a key lockable device.
- 3. ____ An approved safety pool cover, as defined in subdivision (d) of Section 115921.
- 4. ____ Exit alarms on the private single-family home's doors that provide direct access to the swimming pool or spa. The exit alarm may cause either an alarm noise or a verbal warning, such as a repeating notification that "the door to the pool is open"*
- 5. ____ A self-closing, self-latching device with a release mechanism placed no lower than 54 inches above the floor on the private single-family home's doors providing direct access to the swimming pool or spa.*
- 6. ____ An alarm that, when placed in a swimming pool or spa, will sound upon detection of accidental or unauthorized entrance into the water. The alarm shall meet and be independently certified to the ASTM Standard F2208 "Standard Safety Specification for Residential Pool Alarms," which includes surface motion, pressure, sonar, laser and infrared type alarms. A swimming protection alarm feature designed for individual use, including an alarm attached to a child that sounds when the child exceeds a certain distance or becomes submerged in water, is not a qualifying drowning prevention safety feature.

Address of Project