



TOWN OF MILFORD - CODE ENFORCEMENT

Mailing Address: PO Box 308, Portlandville, NY 13834

PHONE: (607) 286-9314 EMAIL: town.zoning@townofmilfordny.gov

APPLICANT NAME

DATE

ADDRESS OF PROJECT

TOWN

Below you will find the requirements for Emergency Escape and Rescue openings. These requirements are mandatory and not negotiable. Please be extremely careful when selecting your windows to make sure your windows meet or exceed the specifications.

EMERGENCY ESCAPE AND RESCUE OPENINGS

Awning and casement windows are permitted; however, the same net clear opening requirements apply.



Each sleeping room must have one egress window. All emergency escape and rescue openings shall have minimum net clear opening of 5.7 sq. ft. (821sq.in.). The minimum net clear opening height shall be 24". The minimum net clear opening width shall be 20". **NOTE:** A WINDOW OPENING MEASURING 24" x 20" DOES NOT MEET THE REQUIREMENT. (24 X 20 = 480") THESE ARE MINIMUM CLEARANCE DIMENSIONS ONLY!

ANY QUESTIONS ON
EGRESS WINDOWS
CONSULT YOUR
INSPECTOR!!

Maximum sill height shall not be more than 44" from the floor.

I have reviewed these requirements and understand them. I also understand that there will be no exceptions granted.

APPLICANT SIGNATURE

DATE