



City of Mableton
Community Development | Building Division
6116 Mableton PKWY, Suite 144
Mableton, GA 30126
(404) 854-4904
www.mableton.gov

DEMOLITION EROSION COMPLIANCE

*** Please contact the site inspector BEFORE removing structure ***

Please read the following and acknowledge with your signature:

1. Install a 20'x50' #34 stone pad with fabric liner, to be used for roll-off container pick-up and delivery. The pad shall NOT be used to place the container on. The pad is there to prevent trucks from tracking dirt into the street.
2. All disturbed areas are to be seeded and mulched upon completion of the demolition.
3. If the foundation is to remain, all areas 30" or greater in vertical height must have permanent 'fall protection' installed.
4. All utilities are to be disconnected, meters removed, sewer properly and permanently capped and sealed at the right-of-way or edge of easement to prevent the entrance of water. If the property is served by septic tank, the property owner is responsible for draining the septic tank and properly disposing of its contents and removing the tank and associated drain lines.
5. All erosion control measures must be in place before demolition begins.
6. All debris shall be removed after demolition is complete.
7. The issuance of a permit does not grant permission to the owner, representative, or permit holder to proceed with the demolition prior to complying with all Georgia rules and laws relative to air quality, solid waste, asbestos, or other environmental contaminations. For more information regarding State of Georgia requirements, call EPD at 404-393-7026 or visit www.gaepd.org/.

INSPECTIONS ARE REQUIRED. Please contact Arrion Rackley at arrion.rackley@mableton.gov

Applicant Printed Name: _____

Applicant Signature: _____

Date: _____

Permit #: _____