

Taylor Borough

122 UNION STREET TAYLOR, PENNSYLVANIA 18517
Phone: (570) 562-1400 Fax: (570) 562-1415

APPLICATION FOR POOL PERMIT

PERMIT # _____

APPLICANT _____ ADDRESS _____

LOCATION AND SCOPE WORK _____

POOL TYPE:

ABOVE GROUND _____


IN GROUND..... _____

REQUIRED FENCING: SHOWN ON PLANS

EXISTING YARD FENCED..... _____

NEW YARD FENCING..... _____

POOL TOP FENCING INCLUDED..... _____



IS THERE A REAR ALLEY? YES / NO

WILL THERE BE ELECTRIC INSTALLED FOR THIS POOL? (YES) - (NO) CIRCLE ONE

WILL THERE BE PLUMBING INSTALLED FOR THIS POOL? (YES) - (NO) CIRCLE ONE

DATE APPLICATION SUBMITTED _____

PHONE NUMBER OF APPLICANT _____

ARTICLE 5

5.120 Outdoor Recreation Facilities

- e. Private swimming pools, permanent and portable, which shall be accessory to a principal non-commercial dwelling use shall be regulated as follows; except that these regulations shall not apply to portable swimming pools which shall be not more than 3 feet in height nor more than 15 feet in length or diameter.

- 1) May be erected only on the same zone lot as the principal structure.

5-1

- 2) Shall be distant not less than ten (10) feet from the principal structure nor less than ten (10) feet from all property lines, except in R-2 zones where the minimum distance from property lines shall be 8 feet; and they shall not be located within a required front yard.
- 3) The pool is intended and is to be used solely for the enjoyment of the occupants of the principal use of the property on which it is located, and their guests, and no fee shall be charged.
- 4) The swimming pool, or entire property on which it is located, shall be so walled or fenced as to prevent uncontrolled access by children from the street or from adjacent properties, said wall or fence to be not less than four (4) feet and maintained in good condition.

Above-ground pools with an attached fence or deck/fence combination are exempt from the above regulation, if:

- a) The fence is equipped with a gate that can be closed with a child-proof latch when the pool is not in use; and
- b) The height of the fence above the entrance level of the pool is not less than thirty (30) inches.
- 5) The terms "wall or fence" above shall not be construed to mean the side wall of an above ground pool
- 6) All pumping, cleaning, filtering, and screening devices and water supply and discharge shall be of a type and source approved by local and/or State Health Department authorities.