



City of Clifton

DIVISION OF ENGINEERING
900 CLIFTON AVENUE
CLIFTON, NEW JERSEY

Inspection Date _____
AM ____ PM ____
Inspector _____
OK to Pour: Yes ____ No ____

MICHAEL J. LARDNER, P.E.
CITY ENGINEER

SIDEWALK PERMIT **\$25.00 FEE – ORDINANCE NO. 6669-07**

973-470-5793
FAX: 973-470-5806
mlardner@cliftonnj.org

Date: _____

Owner's Name: _____ Phone _____

Property Address: _____

Contractor: _____ Phone _____

The sidewalk must be constructed as follows: The sidewalk shall consist of a monolithic mixture of concrete developing a compressive strength of 4,000 PSI at 28 days. The concrete shall be air-entrained concrete in which the amount of entrained air shall not be less than 3%, or more than 6%. As soon as possible without marring, the finished sidewalks shall be covered with wet burlap, cotton mats, straw or plastic and kept moist for three (3) days, or longer, if directed. As an alternate, where practical, clear membrane seal coats may be used, which at the end of three (3) days will retain the concrete at least 85% of the original mixing water. The sidewalk must be of a monolithic construction and no plastering on top will be allowed. Maximum expansion joint spacing shall be 10 feet and placed up against all existing concrete and between curb and sidewalk.

Depth of sidewalk shall be four (4) inches except at driveways in which case depth shall be six (6) inches for full width of driveway.

AFTER FORMS ARE IN PLACE AND PRIOR TO POURING CONCRETE, CALL THE ENGINEERING DEPARTMENT (973-470-5793) FOR AN INSPECTION OF THE FORMS. NO CONCRETE IS TO BE POURED WITHOUT INSPECTION AND APPROVAL OF THE FORMS BY THE CITY ENGINEER OR HIS REPRESENTATIVE.

Properties on County roads may also require County Permits. For further information, please call 973-881-4500.

No work shall be performed during the period of December 1 through April 1. Emergency repairs permitted only with the approval of the City Engineer. No concrete to be poured unless temperature is above freezing 32°F.

The City assumes no responsibility in connection with issuance of this permit. Permit expires 90 days after date of issue. Not valid unless signed by City Engineer.

DATE PAID _____

Michael J. Lardner, P.E., C.M.E., City Engineer

THIS PERMIT MUST BE CONSPICUOUSLY POSTED AT THE WORK SITE